

[Papers]

Kenji Monde, Ph. D.
Faculty of Advanced Life Science
Hokkaido University
 Professor

1. Yujiro Hayashi, Hinata Odaira, Masashi Tomikawa, Naoki Mori, Tohru Taniguchi, Kenji Monde
 Enantioselective Synthesis of α -Trifluoromethyl tert-Alcohols and Amines via Organocatalyst-Mediated Aldol and Mannich Reactions
Asian J. Org. Chem. (2025) in press.
2. Wen Zhang, Kazu Sunami, Shuo Liu, Desita Triana, Zetryana Puteri Tachrim, Rikuto Kikuchi, Tohru Taniguchi, Kenji Monde, Tsunayoshi Takehara, Da-Yang Zhou, Takeyuki Suzuki, Yasuyuki Hashidoko, Makoto Hashimoto, Yuta Murai
 Scalable preparation of furanosteroidal viridin, β -viridin and viridiol from *Trichoderma virens*
Sci. Rep., **15**, 3110 (2025)
3. Mutmainah, Yuta Murai, Ai Fujimoto, Rintaro Kawamura, Akira Kitamura, Sajeer Koolath, Seigo Usuki, Michihito Sasaki, Yasuko Orba, Yasuyuki Igarashi, Hirofumi Sawa, Akihiko Sato, Kenji Monde
 Malabaricone C isolated from edible plants as a potential inhibitor of SARS-CoV-2 infection
Sci. Rep., **15**, 8518 (2025)
4. Attila Mándi, Aliz Rimóczi, Andrea Vasas, Judit Hohmann, Mahadeva M. M. Swamy, Kenji Monde, Roland A. Barta, Máté Kicsák, István Komáromi, Krisztina Fehér, Tibor Kurtán
 Testing the Simplified Molecular Dynamics Approach to Improve the Reproduction of ECD Spectra and Monitor Aggregation
Int. J. Mol. Sci., **25**, 6453 (2024)
5. Riko Ataka, Tohru Taniguchi, Kenji Monde, Hitoshi Tamiaki
 Determination of N-centered stereochemistry in N22-methylated chlorophyll- a derivatives and their epimer-dependent optical spectra
Chirality, **36**, e23681 (2024)
6. 門出健次
 研究者にもっと研究時間を
有機合成協会誌, **82**, 115 (2024)
7. Shotaro Hirota, Yusuke Ito, Shiro Inoue, Naoki Kitaoka, Tohru Taniguchi, Kenji Monde, Kosaku Takahashi, Hideyuki Matsuura
 Isolation and Structural Determination of cis-OPDA- α -monoglyceride from *Arabidopsis thaliana*
J. Nat. Prod., **87**, 1358–1367 (2024)
8. Mahadeva M. M. Swamy, Yuta Murai, Kenji Monde, Setsuko Tsuboi, Aravind K. Swamy, Takashi Jin
 Biocompatible and water-soluble shortwave-infrared (SWIR) emit-ting cyanine-based fluorescent probes for in vivo multiplexed molecular imaging.
ACS Appl. Mater. Interfaces, **16**, 17253-17266 (2024)
9. Shotaro Nagami, Rintaro Kaguchi, Taichi Akahane, Yu Harabuchi, Tohru Taniguchi, Kenji Monde, Satoshi Maeda, Satoshi Ichikawa, Akira Katsuyama
 Photoinduced dual bond rotation of a nitrogen-containing system realized by chalcogen substitution
Nat. Chem., **16**, 959-969 (2024)
10. Hiroko Ikushiro, Takumi Honda, Yuta Murai, Taiki Murakami, Aya Takahashi, Taiki Sawai, Haruna Goto, Shin-ichi Ikushiro, Ikuko Miyahara, Yoshio Hirabayashi, Nobuo Kamiya, Kenji Monde, Takato Yano
 Racemization of the substrate and product by a bacterial serine palmitoyltransferase yields two enantiomers of the product from D-serine
J. Biol. Chem., **300** (3), 105728 (2024)
11. Sajeer Koolath, Yuta Murai, Tomoya Suzuki, Mahadeva M. M. Swamy, Seigo Usuki, Kenji Monde
 Stereochemistry of Sphingolipids in Ganglioside GM3 Enhances Recovery of Nervous Functionality
ACS Med. Chem. Lett., **14**, 1237-1241 (2023)
12. 湯山 耕平, 孫 慧, 門出 健次, 平瀬 匠, 牧野 洋一
 細胞外小胞のデジタル検出法開発—アルツハイマー病早期検出への応用—
Medical Science Digest, **49**, 432-435 (2023)
13. Mariam Abdelrasoul, Kohei Yuyama, Mahadeva M. M. Swamy, Yuta Murai, Kenji Monde
 Stereochemistry-activity relationship of ceramide-induced exosome production to clear amyloid- β in Alzheimer's disease
Chirality, **35**, 577–585 (2023)

14. Hiroko Ikushiro, Taiki Murakami, Aya Takahashi, Asuka Katayama, Taiki Sawai, Haruna Goto, Koolath Sajeer, Yuta Murai, Kenji Monde, Ikuko Miyahara, Nobuo Kamiya, Takato Yano
Structural insights into the substrate recognition of serine palmitoyltransferase from *Sphingobacterium multivorum*
J. Biol. Chem., **299**(5), 104684-104684 (2023)
15. Bojan Bondzic, Konstantinos Daskalakis, Tohru Taniguchi, Kenji Monde, Yujiro Hayashi
Stereoselective Construction of Fluorinated Quaternary Stereogenic Centers via an Organocatalytic Asymmetric exo-Selective Diels-Alder Reaction in the Presence of Water
Org. Lett., **24**, 7455-7460 (2022)
16. Yuta Murai, Takumi Honda, Kohei Yuyama, Daisuke Mikami, Koichi Eguchi, Yuichi Ukawa, Seigo Usuki, Yasuyuki Igarashi, Kenji Monde
Evaluation of Plant Ceramide Species-Induced Exosome Release from Neuronal Cells and Exosome Loading Using Deuterium Chemistry
Int. J. Mol. Sci., **23**(18), 10751-10751 (2022).
17. Kohei Yuyama, Hui Sun, Yasuyuki Igarashi, Kenji Monde, Takumi Hirase, Masato Nakayama, Yoichi Makino
Immuno-Digital Invasive Cleavage Assay for Analyzing Alzheimer's Amyloid β -Bound Extracellular Vesicles
Alzheimer's Res. Ther., **14**(1), 140-140 (2022)
18. Mahadeva M. M. Swamy, Mohamad Zarif Mohd Zubir, Mutmainah, Setsuko Tsuboi, Yuta Murai, Kenji Monde, Ken-ichi Hirano, Takashi Jin
A near-infrared fluorescent long-chain fatty acid toward optical imaging of cardiac metabolism in living mice
Analyst, **147**(19), 4206-4212 (2022)
19. Mahadeva M. M. Swamy, Setsuko Tsuboi, Yuta Murai, Kenji Monde, Takashi Jin
Shortwave-infrared (SWIR) emitting annexin V for high-contrast fluorescence molecular imaging of tumor apoptosis in living mice
RSC Advances, **12**(30), 19632-19639 (2022).
20. Tohru Taniguchi, Naka Ida, Takuya Kitahara, Davidson Obinna Agbob, Kenji Monde
Stereosstructural Analysis of Flexible Oxidized Fatty Acids by VCD Spectroscopy
Chem. Commun., **58**, 6116-6119 (2022).
21. Santanu Mondal, Ravindra D. Aher, Venkati Bethi, Yu-Ju Lin, Tohru Taniguchi, Kenji Monde, Fujie Tanaka
Control of Reactions of Pyruvates by Catalysts: Direct Enantioselective Mannich Reactions of Pyruvates Catalyzed by Amine-based Catalyst Systems
Org. Lett., **24**, 1853-1858 (2022)
22. Yuta Murai, Kohei Yuyama, Daisuke Mikami, Yasuyuki Igarashi, Kenji Monde
Penta-deuterium-labeled 4E, 8Z-sphingadienine for rapid analysis in sphingolipidomics study
Chem. Phys. Lipids, **245**, 105202 (2022)
23. Yuta Murai, Akihiro Sekiguchi, Taeko Hirakawa, Seigo Usuki, Yasuyuki Igarashi, Kenji Monde
Evaluation of Chiral N,N-Dimethyl-Sphingosine for the interaction between NGF and trkA
Chirality, **34**, 807-812 (2022)
24. Mohamad Zarif Mohd Zubir, Nurul Fajry Maulida, Yoshihiro Abe, Yuta Nakamura, Mariam Abdelrasoul, Tohru Taniguchi, Kenji Monde
Deuterium labelling to extract local stereochemical information by VCD spectroscopy in the C-D stretching region: a case study of sugars
Org. Biomol. Chem., **20**, 1067-1072 (2022)
25. Tohru Taniguchi, Mohamad Zarif Mohd Zubir, Nobuyuki Harada, Kenji Monde
Exploration of chromophores for a VCD couplet in a spectrally transparent infrared region for biomolecules
Phys. Chem. Chem. Phys., **23**, 27525-27532 (2021)
26. Nariyoshi Umekubo, Tohru Taniguchi, Kenji Monde, Yujiro Hayashi
Synthesis of Bicyclo[2.2.2]octanes with a Quaternary Bridgehead Carbon by Diphenylprolinol Silyl Ether-mediated Domino Reaction
Asian J. Org. Chem., **10** (12), 3261-3265 (2021)
27. Seitaro Koshino, Tohru Taniguchi, Kenji Monde, Eunsang Kwon, Yujiro Hayashi
Enantiodivergent One-Pot Synthesis of Axially Chiral Biaryls Using Organocatalyst-Mediated Enantioselective Domino Reaction and Central-to-Axial Chirality Conversion
Chem. Eur. J., **27**, 15786-15794 (2021)
28. Mahadeva M. M. Swamy, Yuta Murai, Kenji Monde, Setsuko Tsuboi, and Takashi Jin
Shortwave-Infrared Fluorescent Molecular Imaging Probes Based on π -Conjugation Extended Indocyanine Green
Bioconjugate Chem., **32**(8), 1541-1547 (2021)

29. 江口 晃一、向井 克之、湯山 耕平、栗本 成敬、田中 藍子、勝山 (鏡) 豊代、西平 順、門出 健次、五十嵐 靖之
こんにやく由来グルコシルセラミド摂取による脳内アミロイドβ蓄積に対する抑制効果の探索的試験—プラセボ対照
ランダム化二重盲検並行群間比較試験—
薬理と治療, **49(8)**, 1225-1239 (2021)
30. 門出健次
前田耕治、安川智之、床波志保 編
機器分析ハンドブック 2 —高分子・分析技術編—10章 140-153 (2020)
旋光度と円偏光二色法 (CD) 化学同人 ISBN 9784759820225
31. 門出健次、日本化学会 編 化学便覧 基礎編 改訂6版15章 97-98 (2020)
分光学的性質 —生体物質の円二色性— 丸善出版株式会社 ISBN 978-4-621-09724-3
32. 門出 健次, 村井 勇太
ケモエンザイマティカルな長鎖塩基の調製と樹脂固定型グルタルアルデヒドによる効率的精製法
生化学, **92 (2)**, 272-277 (2020)
33. Hadya Virupaksha Deepak, Mahadeva M. M. Swamy, Yuta Murai, Yoshiko Suga, Masaki Anetai, Takuro Yo, Masahiro Kuragano,
Koji Uwai, Kiyotaka Tokuraku and Kenji Monde
Daurichromenic Acid from the Chinese Traditional Medicinal Plant *Rhododendron dauricum* Inhibits Sphingomyelin Synthase and
A β Aggregation
Molecules, **25**, 4077-4088 (2020)
34. Usuki S., Yasutake Y., Tamura N., Tamura T., Tanji K., Saitoh T., Murai Y., Mikami D., Yuyama K., Monde K., Mukai K.,
Igarashi Y.
Nrp1 is activated by kCer binding-induced structural rigidification of the a1a2 domain
Cells, **9**, 517-535 (2020)
35. Koshino S., Takikawa A., Ishida K., Taniguchi T., Monde K., Kwon E., Umemiya S., Hayashi Y.
Inversion of the axial information during oxidative aromatization in the synthesis of axially chiral biaryls using organocatalyst as a
key step
Chem. Eur. J., **26**, 4524-4530 (2020)
36. Lkhamkhuu E., Zikihara K., Katsura H., Tokutomi S., Hosokawa T., Usami Y., Ichihashi M., Yamaguchi J., Monde K.
Effect of Circularly Polarized Light on Germination, Hypocotyl Elongation and Biomass Production of Arabidopsis and Lettuce;
Involvement of Phytochrome B
Plant Biotechnology, **37**, 57-67 (2020)
37. Koolath S., Murai, Y., Suga, Y., Monde, K.
Chiral Combinatorial Preparation and Biological Evaluation of Unique Ceramides for Inhibition of Sphingomyelin Synthase
Chirality, **32**, 308-313 (2020)
38. Saaidin S. A., Murai, Y., Ishikawa, T., Monde, K.
Design and Synthesis of Ligand - Tag Exchangeable Photoaffinity Probe Utilizing Nosyl Chemistry
Eur. J. Org. Chem., **2019**, 7563-7567 (2019)
39. Okamura, H., Fujioka, T., Mori, N., Taniguchi, T., Monde, K., Watanabe, H., Takikawa, H.
First enantioselective synthesis of salinipostin A, a marine cyclic enol-phosphotriester isolated from *Salinispora sp*
Tetrahedron Lett., **60**, 150917-150919 (2019)
40. Othman, M. A., Yuyama, K., Murai, Y., Igarashi, Y., Mikami, D., Sivasothy, Y., Awang, K., Monde, K.
Malabaricone C as Natural Sphingomyelin Synthase Inhibitor against Diet-Induced Obesity and Its Lipid Metabolism in Mice
ACS Med. Chem. Lett., **10**, 1154-1158 (2019)
41. 村井勇太、門出健次
セラミド研究会 編 セラミド研究の新展開 ～基礎から応用へ～
第33章 278-285 (2019) ”天然物を利用したセラミド関連物質の化学合成戦略”
食品化学新聞社
42. Sasaki, R., Tainaka, R., Ando, Y., Hashi, Y., Virupaksha, D., Suga, Y., Murai, Y., Anetai, M., Monde, K., Ota, K., Ito, I., Kikuchi,
H., Oshima, Y., Endo, Y., Nakao, H., Sakono, M., Uwai, K., Tokuraku K.
An automated microliter-scale high-throughput screening system (MSHTS) for real-time monitoring of protein aggregation using
quantum-dot nanopores
Sci. Rep., **9**, 2587 (2019)
43. Kiske, C., Riegel, A., Hopf, R., Kvindt, A., Poplacean, I., Taniguchi, T., Swamy, M., Monde, K., Eisenreich, W., Engel, K.
Determination of the Absolute Configurations and the Sensory Properties of the Enantiomers of a Homologous Series (C6-C10) of
2-Mercapto-4-alkanones

- J. Agric. Food Chem.*, **67**, 1187-1196 (2019)
44. Taniguchi, T., Nakano, K., Monde, K.
Stereochemistry (and Conformation) of Nucleosides and Their Synthetic Precursors by Vibrational Circular Dichroism
Current Protocols in Nucleic Acid Chemistry, **72**, 7.29.1-7.29.9 (2018)
 45. Taniguchi, T., Suzuki, T., Satoh, H., Shichibu, Y., Konishi, K., Monde, K.
Preparation of Carbodiimides with One-Handed Axial Chirality
J. Am. Chem. Soc., **140**, 15577-15581 (2018)
 46. Katakami, C., Kamo, S., Torii, A., Hara, N., Imai, Y., Taniguchi, T., Monde, K., Okabayashi, Y., Hosokai, T., Kuramochi, K., Tsubaki, K.
Synthesis and Photochemical Properties of Axially Chiral Bis(dinaphthofuran)
J. Org. Chem., **83**, 14610-14616 (2018)
 47. Swamy, M. M. M., Murai, Y., Ohno, Y., Jojima, K., Kihara, A., Mitsutake, S., Igarashi, Y., Yu, J., Yao, M., Suga, Y., Anetai, M., Monde, K.
Structure-inspired design of a sphingolipid mimic sphingosine-1-phosphate receptor agonist from a naturally occurring sphingomyelin synthase inhibitor
Chem. Commun., **54**, 12758-12761 (2018)
 48. Murakami R., Sano K., Iwai T., Taniguchi T., Monde K., Sawamura M.
Palladium-Catalyzed Asymmetric C(sp³)-H Alkylation of 2-Alkylpyridines
Angew. Chem., Int. Ed., **57**, 9465-9469 (2018)
 49. Kawauchi G., Umemiya S., Taniguchi T., Monde K., Hayashi Y.
Enantio- and Diastereoselective Synthesis of Latanoprost using an Organocatalyst
Chem. Eur. J., **24**, 8409-8414 (2018)
 50. Gowda S. B., Nakahashi A., Yamane, K., Nakahashi, S., Murai, Y., C. Siddegowda, A. K., Hammam M. A. S., Monde, K.
Facile Chemoselective Strategy toward Capturing Sphingoid Bases by Unique Glutaraldehyde Functionalized Resin
ACS Omega, **3**, 753-759 (2018)
 51. Hongen, T., Taniguchi, T., Monde, K.
Modifying Oligoalanine Conformation by Replacement of Amide to Ester Linkage
Chirality, **30**, 396-401 (2018)
 52. Narita, K., Sato, H., Minami, A., Kudo, K., Gao, L., Liu, C., Ozaki, T., Kodama, M., Lei, X., Taniguchi, T., Monde, K., Yamazaki, M., Uchiyama, M., Oikawa, H.
Focused genome mining of structurally related sesterterpenes: enzymatic formation of enantiomeric and diastereomeric products
Org. Lett., **19**, 6696-6699 (2017)
 53. 門出健次、村井勇太
化学プローブは求愛タンパク質の心はどう射留めるのか？-生命現象解明・創薬に小分子の視点から
化学, **72** (10), 70-71 (2017)
 54. Takayama Y., Ishii T., Ohmiya H., Iwai T., Schwarzer M. C., Mori S., Taniguchi T., Monde K., Sawamura M.
Asymmetric Synthesis of β -Lactams through Copper-Catalyzed Alkyne-Nitrone Coupling with Prolinol-Phosphine Chiral Ligand
Chem., Eur. J., **23**, 8400-8404 (2017)
 55. 谷口透、門出健次
円二色性(CD)・赤外円二色性(VCD)による立体構造解析 ～実践例と注意点～
有機合成化学協会誌 **75**, 522-529 (2017)
 56. Huang, J.-R., Sohail, M., Taniguchi, T., Monde, K., Fujie Tanaka, F.
Formal (4+1) Cycloaddition and Enantioselective Michael-Henry Cascade Reactions To Synthesize Spiro[4,5]decanes and Spirooxindole Polycycles
Angew. Chem., Int. Ed., **56**, 5853-5857 (2017)
 57. Taniguchi, T., Nakano, K., Baba, R., Monde, K.
Analysis of Configuration and Conformation of Furanose Ring in Carbohydrate and Nucleoside by Vibrational Circular Dichroism
Org. Lett., **19**, 404-407 (2017)
 58. Kasamatsu, K., Yoshimura, T., Mándi, A., Taniguchi, T., Monde, K., Furuta, T., Kawabata, T.
 α -Arylation of α -Amino Acid Derivatives with Arynes via Memory of Chirality: Asymmetric Synthesis of Benzocyclobutenones with Tetrastituted Carbon
Org. Lett., **19**, 352-355 (2017)
 59. Saito, S., Murai, Y., Usuki, S., Yoshida, M., Hammam, M.A.S., Mitsutake, S., Yuyama, K., Igarashi, Y., Monde, K.

Synthesis of Nontoxic Fluorous Sphingolipids as Molecular Probes of Exogenous Metabolic Studies for Rapid Enrichment by FSPE
Eur. J. Org. Chem., **2017**, 1045–1051 (2017)

60. Kiske, C., Noerenberg, S., Ecker, M., Ma, X., Taniguchi, T., Monde, K., Eisenreich, W., Engel, K.-H.
Reinvestigation of the Absolute Configurations of Chiral β -Mercaptoalkanones Using Vibrational Circular Dichroism and ^1H NMR Analysis
J. Agric. Food Chem., **64**, 8563–8571 (2016)
61. Hayashi, Y., Bondzic, B. P., Yamazaki, T., Gupta, Y., Ogasawara, S., Taniguchi, T., Monde, K.
Asymmetric Diels–Alder Reaction of α -Substituted and β,β -Disubstituted α,β -Enals via Diarylprolinol Silyl Ether for the Construction of All-Carbon Quaternary Stereocenters
Chem., Eur. J., **22**, 15874–15880 (2016)
62. 門出健次、谷口透
VCD励起子キラリティー法
分光研究, **65**, 137–144 (2016)
63. Taniguchi, T., Hongen, T., Monde, K.
Studying the stereostructures of biomolecules and their analogs by vibrational circular dichroism.
Polym. J. **48**, 925–931 (2016)
64. Mizutani, S., Komori, K., Taniguchi, T., Monde, K., Kuramochi, K., Tsubak, K.
A Bioinspired Synthesis of (\pm)-Rubrobramide, (\pm)-Flavipucine, and Isoflavipucine
Angew. Chem., Int. Ed., **55**, 9553–9556 (2016)
65. Nakahashi, A., C. Siddegowda, A. K., Hammam, M. A. S., Gowda, S. G. B., Murai, Y., Monde, K.
Stereochemical study of sphingosine by vibrational circular dichroism
Org. Lett., **18**, 2327–2330 (2016)
66. Taniguchi T., Asahata M., Nasu A., Shichibu Y., Konishi K., Monde K.
Facile Diastereoseparation of Glycosyl Sulfoxides by Chiral Stationary Phase
Chirality, **28**, 534–539 (2016)
67. Mandi A., Swamy M. M. M., Taniguchi T., Anetai M., Monde K.
Reducing Molecular Flexibility by Cyclization for Elucidation of Absolute Configuration by CD Calculations: Daurichromenic Acid
Chirality, **28**, 453–459 (2016)
68. Wang, S., Taniguchi, T., Monde, K., Kawahata, M., Yamaguchi, K., Otani, Y., Ohwada T.
Hydrogen Bonding to Carbonyl Oxygen of Nitrogen-Pyramidalized Amide – Detection of Pyramidalization Direction Preference by Vibrational Circular Dichroism Spectroscopy
Chem. Commun., **52**, 4018–4021 (2016)
69. Kato, M., Hammam, M. A. S., Taniguchi, T., Suga, Y., Monde, K.
What Is the True Structure of D609, a Widely Used Lipid Related Enzyme Inhibitor?
Org. Lett., **18**, 768–771 (2016)
70. Tahara, Y., Obinata, S., Kanyiva, K. S., Shibata, T., Mándi, A., Taniguchi, T., Monde, K.
Enantioselective Synthesis of Aminoindan Carboxylic Acid Derivatives by the Catalytic Intramolecular [2+2+2] Cycloaddition of Amino Acid-Tethered Triynes
Eur. J. Org. Chem., **2016**, 1405–1413, (2016)
71. Swamy M. M. M., Mándi A., Anetai M., Monde K.
Stereochemistry of a Rhododaurichromanic Acid Derivative
Nat. Prod. Commun., **11**, 193–195 (2016)
72. Asai, T., Morita, S., Taniguchi, T., Monde, K., Oshima, Y.
Epigenetic stimulation of polyketide production in *Chaetomium cancroideum* by an NAD^+ - dependent HDAC inhibitor.
Org. Biomol. Chem., **14**, 646–651 (2016)
73. Gowda S.B., Usuki S., Hammam M.A.S., Murai Y., Igarashi Y., Monde K.,
Highly Efficient Preparation of Sphingoid Bases from Glucosylceramides by Chemoenzymatic Method,
J. Lipid Res., **57**, 325–331 (2016)
74. Yaguchi, Y., Nakahashi, A., Miura, N., Taniguchi, T., Sugimoto, D., Emura, M., Zaizen, K., Kusano, Y., Monde, K.
Vibrational CD (VCD) Spectroscopy as a Powerful Tool for Chiral Analysis of Flavor Compounds.
ACS Symp. Ser., **1212**, 35–56 (2015)
75. Taniguchi, T., Manai, D., Shibata, M., Itabashi, Y., Monde, K.

Stereochemical Analysis of Glycerophospholipids by Vibrational Circular Dichroism.

J. Am. Chem. Soc., **137**, 12191–12194 (2015)

76. Ye, Y., Minami, A., Mandi, A., Liu, C., Taniguchi, T., Kuzuyama, T., Monde, K., Gomi, K., Oikawa H., Genome Mining for Sesterterpenes Using Bifunctional Terpene Synthases Reveals a Unified Intermediate of Di/Sesterterpenes. *J. Am. Chem. Soc.*, **137**, 11846–11853 (2015)
77. Hayashi, Y., Yamazaki, T., Nakanishi, Y., Ono, T., Taniguchi, T., Monde, K., Uchimar, T. Asymmetric Nitrocyclopropanation of α -Substituted α,β -Enals Catalyzed by Diphenylprolinol Silyl Ether for the Construction of All-Carbon Quaternary Stereogenic Centers. *Eur. J. Org. Chem.*, **2015**, 5747-5754 (2015)
78. Khandelwal, P., Singh, P., Taniguchi, T., Monde, K., Johmoto, K., Uekusa, H., Masubuti, H., Fujimoto, Y. Revision of the relative and absolute stereochemistry of 3-hydroxydehydroiso- α -lapachone and its derivatives. *Phytochemistry Lett.*, **10**, 224-229 (2014)
79. Salayová, A., Kudličková Z., Baláž M., Budovská M., Pilátová M., Mojžiš J., Monde K., Petrovaj J., Gondová T. Stereoselective synthesis of 1-methoxyspiroindoline phytoalexins and their amino analogues *Tetrahedron Asymmetry*, **25**, 1221-1233 (2014)
80. Hongen, T., Taniguchi, T., Nomura, S., Kadokawa, J., Monde, K. In Depth Study on Solution-State Structure of Poly(lactic acid) by Vibrational Circular Dichroism *Macromolecules*, **47**, 5313-5319 (2014)
81. Shibuta, T., Sato, S., Shibuya, M., Kanoh, N., Taniguchi, T., Monde, K., Iwabuchi, Y. Enantioselective intramolecular aza-spiroannulation onto benzofurans using chiral rhodium catalysis *Heterocycles*, **89**, 631-639(2014)
82. Komori K., Taniguchi T., Mizutani S., Monde K., Kuramochi K., Tsubaki K. Short Synthesis of Berkeleyamide D and Determination of the Absolute Configuration by the Vibrational Circular Dichroism Exciton Chirality Method *Org. Lett.* **16**, 1386-1389 (2014)
83. Asai T., Taniguchi T., Yamamoto T., Monde K., Oshima Y. Structures of Spiroinducumides A and B, Unprecedented Carbon Skeletal Spirolactones, and Determination of the Absolute Configuration by Vibrational Circular Dichroism Exciton Approach *Org. Lett.* **15**, 4320-4323 (2013)
84. Asai, T., Yamamoto T., Shirata N., Taniguchi T., Monde K., Fujii I., Gomi K., Oshima Y., Structurally diverse chaetophenol productions induced by chemically mediated epigenetic manipulation of fungal gene expression *Org. Lett.* **15**, 3346-3349 (2013)
85. Asai T., Otsuki S., Taniguchi T., Monde K., Yamashita K., Sakurai H., Ozeki T., Oshima Y. Structures and absolute configurations of short-branched fatty acid dimers from an endophytic fungus of *Aloe arborescens* *Tetrahedron Lett.* **54**, 3402-3405 (2013)
86. Asai T., Morita S., Shirata N., Taniguchi T., Monde K., Sakurai H., Ozeki T., Oshima Y. Structural Diversity of New C₁₃-Polyketides Produced by *Chaetomium mollipilium* Cultivated in the Presence of a NAD⁺-Dependent Histone Deacetylase Inhibitor *Org. Lett.* **14**, 5456–5459 (2012),
87. Taniguchi, T., Monde, K. The Exciton Chirality Method in Vibrational Circular Dichroism *J. Am. Chem. Soc.*, **134**, 3695–3698 (2012)
88. Asai, T., Luo, D., Obara, Y., Taniguchi, T., Monde, K., Yamashita, K., Oshima, Y. Dihydrobenzofurans as cannabinoid receptor ligands from *Cordyceps annullata*, an entomopathogenic fungus cultivated in the presence of an HDAC inhibitor. *Tetrahedron Lett.*, **53**, 2239-2243 (2012)
89. Shibata, T., Miyoshi, M., Uchiyama, T., Endo, K., Miura, N., Monde, K. Enantioselective synthesis of tripodal cyclophanes and pyridinophanes by intramolecular [2+2+2] cycloaddition *Tetrahedron*, **68**, 2679–2686 (2012)
90. Nakahashi, A., Yaguchi, Y., Miura, N., Emura, M., Monde, K. A Vibrational Circular Dichroism Approach to the Determination of the Absolute Configurations of Flavorous 5-Substituted-2(5H)-furanones *J. Nat. Prod.*, **74**, 707-711 (2011)

91. Aoyagi, Y., Yamazaki, A., Kato, R., Tobe, F., Fukaya, H., Nishikawa, T., Nakahashi, A., Miura, N., Monde, K., Takeya, K. Salvileucalin C, a novel rearranged neoclerodane diterpene from *Salvia leucantha* *Tetrahedron Lett.*, **52**, 1851-1853 (2011)
92. Taniguchi, T., Monde, K.
Electronic Circular Dichroism and Vibrational Circular Dichroism of Glycoconjugates,
Ed. Nina Berova, Prasad Polavarapu, Koji Nakanishi, Robert Woody,
Comprehensive Chiroptical Spectroscopy,
John Wiley & Sons, in press. (2011)
93. Kuwahara, S., Obata, K., Fujita, T., Miura, N., Nakahashi, A., Monde, K., Harada, N.
(R)-(+)-[VCD(-)984]-4-Ethyl-4-methyloctane, a Cryptochiral Hydrocarbon with a Quaternary Chirality Center. (2) Vibrational CD Spectra of Both Enantiomers and Absolute Configurational Assignment
Eur. J. Org. Chem. 6385–6392 (2010)
94. Fujita, T., Obata, K., Kuwahara, S., Nakahashi, A., Monde, K., Decatur, J., Harada, N.
(R)-(+)-[VCD(-)984]-4-Ethyl-4-methyloctane, a Cryptochiral Hydrocarbon with a Quaternary Chirality Center. (1) Synthesis of Enantiopure Compound and Unambiguous Determination of Absolute Configuration
Eur. J. Org. Chem. 6372–6384 (2010)
95. Monde, K., Nakahashi, A., Miura, N., Yaguchi, Y., Sugimoto, D., Emura, M.
Stereochemical Study of a Novel Tautomeric Furanone, Homofuraneol
Chirality, **21**, S110-S115 (2009).
96. Chiba, K., Kurogi, K., Monde, K., Hashimoto, M., Yoshida, M., Mayama, H., Tsujii, K.
Super Water- and Highly Oil-Repellent Films Made of Fluorinated Poly(alkylpyrroles)
Colloids Surf., A, **354**, 234-239 (2010).
97. Emura, M., Yaguchi, Y., Nakahashi, A., Sugimoto, D., Miura, N., Monde, K.
Stereochemical Studies of Flavorous 2-Substituted-3(2*H*)-furanones by Vibrational Circular Dichroism
J. Agric. Food Chem., **57**, 9909-9915. (2009).
98. Nakahashi, A., Miura, N., Monde, K., Tsukamoto, S.
Stereochemical studies of hexylitaconic acid, an inhibitor of p53-HDM2 interaction
Bioorg. Med. Chem. Lett., **19**, 3027–3030 (2009).
99. Taniguchi, T., Martin, C., Monde, K., Nakanishi, K., Berova, N., Overman, L.
Absolute Configuration of Actinophyllic Acid as Determined through Chiroptical Data
J. Nat. Prod., **72**, 430-432 (2009).
100. An, D. L., Chen, Q., Fang, J., Yan, H., Orita, A., Miura, N., Nakahashi, A., Monde, K., Otera, J.
Vibrational CD Spectroscopy as a Powerful Tool for Stereochemical Study of Cyclophynes in Solution *Tetrahedron Lett.*, **50**, 1689-1692 (2009).
101. Yaguchi, Y., Nakahashi, A., Miura, N., Sugimoto, D., Monde, K., Emura, M.
Stereochemical Study of Chiral Tautomeric Flavorous Furanones by Vibrational Circular Dichroism
Org. Lett. **10**, 4883-4885 (2008).
102. Taniguchi, T., Monde, K., Nakanishi, K., Berova, N.
Chiral Sulfinates Studied by Optical Rotation, ECD and VCD: the Absolute Configuration of a Cruciferous Phytoalexin Brassicanal C
Org. Biomol. Chem., **6**, 4399-4405 (2008).
103. Nakagawa, H., Ohira, M., Hayashi, S., Abe, S., Saito, S., Nagahori, N., Monde, K., Shinohara, Y., Fujitani, N., Kondo, H., Akiyama, S.-I., Nakagawara, A., Nishimura, S.-I.
Alterations in the glycoform of cisplatin-resistant human carcinoma cells are caused by defects in the endoplasmic reticulum-associated degradation system
Cancer Lett., **270**, 295-301 (2008).
104. Nakahara, T., Hashimoto, R., Nakagawa, H., Monde, K., Miura, N., Nishimura, S.-I.
Glycoconjugate Data Bank: Structures---an annotated glycan structure database and *N*-glycan primary structure verification service
Nucleic Acids Res., **36**, D368-D371 (2008).
105. Taniguchi, T., Tone, I., Monde, K.
Observation and Characterization of a Specific Vibrational Circular Dichroism (VCD) Band in Phenyl Glycosides
Chirality, **20**, 446-453 (2008).
106. Nakahashi, A., Taniguchi, T., Miura, N., Monde, K.
Stereochemical Studies of Sialic Acid Derivatives by Vibrational Circular Dichroism
Org. Lett., **9**, 4741-4744 (2007).

107. Curillov, Z., Kutschy, P., Budovsk, M., Nakahashi, A., Monde, K.
Stereoselective synthesis of (R)-(+)-1-methoxyspirobrassinin, (2R,3R)-(-)-1-methoxyspirobrassinol methyl ether and their enantiomers, or diastereoisomers
Tetrahedron Lett., **48**, 8200-8204 (2007).
108. Taniguchi, T., Monde, K.
Spectra - Structures Relationship on Carbohydrate VCD and Its Application to Glycoconjugates
Chem.-Asian J., **2**, 1258-1266 (2007).
109. Min, H.M., Aye, M., Taniguchi, T., Miura, N., Monde, K., Ohzawa, K., Nikai, T., Niwa, M., Takaya, Y.
A structure and an absolute configuration of (+)-alternamin, a new coumarin from *Murraya alternans* having antidote activity against snake venom
Tetrahedron Lett., **48**, 6155-6158 (2007).
110. Sato, H., Taniguchi, T., Nakahashi, A., Monde, K., Yamagishi, A.
Effects of Central Metals Ions on Vibrational Circular Dichroism Spectra of Tris-(β -diketonato)Metal(III) Complexes
Inorg. Chem., **46**, 6755-6766 (2007).
111. Fujita, T., Obata, K., Kuwahara, S., Miura, N., Nakahashi, A., Monde, K., Decatur, J., Harada, N.
(R)-(+)-[VCD(+945)]-4-Ethyl-4-methyloctane, the Simplest Chiral Saturated Hydrocarbon with a Quaternary Stereogenic Center
Tetrahedron Lett., **48**, 4219-4222 (2007).
112. Taniguchi, T., Monde, K.
Vibrational circular dichroism (VCD) studies on disaccharides in the CH region: Toward discrimination of glycosidic linkage position
Org. Biomol. Chem., **5**, 1104-1110 (2007).
113. Yamane, S., Iwasaki, N., Kasahara, Y., Harada, K. Majima T., Monde, K., Nishimura, S.-I., Minami, A.
The effect of pore size on in vitro cartilage formation using chitosan-based hyaluronic acid hybrid polymer fibers
J. Biomed. Mater. Res., Part A, **81A**, 586 - 593 (2007).
114. 高分子学会 編集 高分子分析技術最前線
第三部 分子構造の解析 第4章 赤外円二色性スペクトル
165-176 (2007) 共立出版
115. 門出健次、三浦信明、谷口透
赤外円二色性を用いた絶対配置決定—誘導化を必要としない溶液状態での絶対配置決定法
化学と生物, **45**, 455-458 (2007)
116. Taniguchi, T., Monde, K.
Chiroptical Analysis of Glycoconjugates by Vibrational Circular Dichroism (VCD)
Trends Glycosci. Glycotech., **19**, 149-166 (2007).
117. Taniguchi, T., Sato, H., Monde, K., Nishimura, S.-I., Yoshida, J., Yamagishi, A.
Rewinding of Helical Systems by Use of Cr(III) Complex as a Photoresponsive Chiral Dopant
Mol. Cryst. Liq. Cryst., **460**, 107-116 (2006).
118. Monde, K., Taniguchi, T., Miura, N., Vairappan, C. S., Suzuki, M.
Absolute configurations of endoperoxides determined by vibrational circular dichroism (VCD)
Tetrahedron Lett., **47**, 4389-4392 (2006).
119. Monde, K., Miura, N., Hashimoto, M., Taniguchi, T., Inabe, T.
Conformational Analysis of Chiral Helical Perfluoroalkyl Chains by VCD
J. Am. Chem. Soc., **128**, 6000-6001 (2006).
120. Sato, H., Taniguchi, T., Monde, K., Nishimura, S. -I., Yamagishi, A.
Dramatic Effects of d-Electron Configurations on Vibrational Circular Dichroism Spectra of Tris(acetylacetonato)metal (III)
Chem. Lett., **35**, 364-365 (2006).
121. Monde, K., Taniguchi, T., Miura, N., Vairappan, C. S., Suzuki, M.
Absolute Configurations of Brominated Sesquiterpenes Determined by Vibrational Circular Dichroism
Chirality, **18**, 335-339 (2006).
122. Miura, N., Taniguchi, T., Monde, K., Nishimura, S.-I.
A theoretical study of α - and β -D-glucopyranose conformations by the density functional theory
Chem. Phys. Lett., **419**, 326-332 (2006).
123. 門出健次

赤外円二色性スペクトル—紫外・可視発色団を必用としない新しいキラル分析法—
高分子, **45**, 516-519 (2006).

124. Uematsu R., Furukawa J., Nakagawa H., Shinohara H., Deguchi K., Monde K., and Nishimura S.-I.
High throughput quantitative glycomics and glycoform-focused proteomics of murine dermis and epidermis
Mol. Cell. Proteomics, **4**, 1977-1989 (2005).
125. Takaya, K., Nagahori, N., Kurogochi, M., Furuike, T., Miura, N., Monde, K., and Nishimura S.-I.
Rational Design, Synthesis, and Characterization of Novel Inhibitors for Human β 1,4- Galactosyltransferase
J. Med. Chem., **48**, 6054-6065 (2005).
126. Monde, K., Taniguchi, T., Miura, N., Kutschy, P., Čurillová, Z., Pilátová, M., Mojžiš, J.
Chiral Cruciferous Phytoalexins: Preparation, Absolute Configuration, and Biological Activity
Bioorg. Med. Chem., **13**, 5206-5212 (2005).
127. Resurreccion-Magno, M. H. C., Villaseñor, I. M., Harada, N., Monde, K.
ActivityAntihyperglycaemic flavonoids from *syzygium samarangense* (Blume) Merr. and Perry
Phytother. Res., **19**, 246-251 (2005).
128. Niikura K., Kamitani R., Kurogochi M., Uematsu R., Shinohara Y., Nakagawa H., Deguchi K., Monde K., Kondo H., Nishimura S.-I.
Versatile Glycoblotting Nanoparticles for High Throughput Protein Glycomics
Chem. Eur. J., **11**, 3825-3835 (2005).
129. Furuike T., Sadamoto R., Niikura K., Monde K., Sakairi N., and Nishimura S.-I.
Chemical and Enzymatic Synthesis of Glycocluster Having Seven Sialyl Lewis X Arrays Using β -Cyclodextrin as a Key Scaffold Material
Tetrahedron, **61**, 1737-1742 (2005).
130. Abe S., Moriyama H., Niikura K., Feng F., Monde K., and Nishimura S.-I.
Versatile Synthesis of Oligosaccharide-Containing Fullerenes
Tetrahedron Asymmetry, **16**, 15-19 (2005).
131. Pilatova, M., Sarisky, M., Kutschy, P., Mirossay, A., Mezencev, R., Curillova, Z., Suchy, M., Monde, K., Mirossay, L., Mojzi, J.
Cruciferous phytoalexins: antiproliferative effects in T-Jurkat leukemic cells
Leuk. Res., **29**, 415-421 (2005).
132. Nishimura, S.-I., Nagahori, N., Takaya, K., Tachibana, Y., Miura, N., Monde, K.
Direct Observation of Sugar-Protein, Sugar-Sugar, and Sugar-Water Complexes by Using Cold-Spray Ionization Time-of-Flight Mass Spectrometry
Angew. Chem., Int. Ed., **44**, 571-575 (2005).
133. Nishimura, S.-I., Niikura, K., Kurogochi, M., Matsushita, T., Fumoto, M. Hinou, H., Kamitani, R., Deguchi, K., Miura, N., Monde, K., and Kondo, H.
High Throughput Protein Glycomics: Combined Use of Chemoselective Glycoblotting and MALDI-TOF/TOF Mass Spectrometry
Angew. Chem., Int. Ed., **44**, 91-96 (2005).
134. Yamane, S., Iwasaki, N., Majima, T., Funakoshi, T., Masuko, T., Harada, K., Minami, A., Monde, K. and Nishimura, S.-I.
Feasibility of chitosan-based hyaluronic acid hybrid biomaterial for a novel scaffold in cartilage tissue engineering
Biomaterials, **26**, 611-619 (2005).
135. 西村紳一郎、門出健次 監訳、糖鎖生物学入門 Maureen E. Taylor, Kurt Drickamer 著、
化学同人、(2005)。
136. 門出健次、第五版実験化学講座, 1 4 巻, 有機化合物の合成 (II) フェノール,
丸善株式会社、(2005)。
137. Takegawa, Y., Deguchi, K., Ito, S., Yoshioka, S., Sano, A., Yoshinari, K., Kobayashi, K., Nakagawa, H., Monde, K., and Nishimura, S.-I.
Assignment and quantification of 2-aminopyridine derivatized oligosaccharide isomers coeluted on reverse-phase HPLC/MS by MSⁿ spectral library,
Anal. Chem., **76**, 7294-7303 (2004).
138. Taniguchi, T., Monde, K., Miura, N., Nishimura, S. -I.
A characteristic CH band in VCD of methyl glycosidic carbohydrates,
Tetrahedron Lett., **45**, 8451-8453. (2004).
139. Sato, M., Furuike, T., Sadamoto, R., Fujitani, N., Nakahara, T., Niikura, K., Monde, K., Kondo, H., and Nishimura, S.-I.
Glycoinsulins: Dendritic sialyloligosaccharide-displaying insulins showing a prolonged blood-sugar lowering activity

J. Am. Chem. Soc., **126**, 14013-14022 (2004).

140. Tachibana, Y., Monde, K., Nishimura, S.-I.
Sequential Glycoproteins: Practical Method for the Synthesis of Antifreeze Glycoprotein Models Containing Base-Labile Groups
Macromolecules, **37**, 6771-6779 (2004).
141. Monde, K., Taniguchi, T., Miura, N., Nishimura, S. -I.
A Specific Band Observed in VCD Predicts α -Configuration of Glycoconjugates
J. Am. Chem. Soc., **126**, 9496-9497 (2004).
- This work was selected as a hot article in News and Views of *Letters in Organic Chemistry*
Letters in Organic Chemistry, **2**, 207, (2005).
142. Iwasaki, N., Yamane, S.-T., Majima, T., Kasahara, Y., Minami, A., Harada, K., Nonaka, S., Maekawa, N., Tamura, H., Tokura, S., Shiono, M., Monde, K., Nishimura, S.-I.
Feasibility of Polysaccharide Hybrid Materials for Scaffolds in Cartilage Tissue Engineering: Evaluation of Chondrocyte Adhesion to Polyion Complex Fibers Prepared from Alginate and Chitosan.
Biomacromolecules, **5**, 828-833 (2004).
143. Ueda T., Feng F., Sadamoto R., Niikura K., Monde K., Nishimura S.-I.
Synthesis of 4-Fluorinated UDP-MurNAc Pentapeptide as an Inhibitor of Bacterial Growth.
Org. Lett., **6**, 1753 -1756 (2004).
144. Feng F., Okuyama K., Niikura K., Ohta T., Sadamoto R., Monde K., Noguchi T., and Nishimura S.-I.
Chemo-enzymatic synthesis of fluorinated 2-N-acetamidoglycosyl nucleotides using UDP-GlcNAc pyrophosphorylase.
Org. Biomol. Chem., **2**, 1617-1623 (2004).
145. Niikura K., Osuga N., Nagahori N., Sadamoto R., Shiono M., Iwasaki N., Monde K., Minami A. and Nishimura S.-I.
Fluorescent Glyconanoparticles as a Sensitive Device to Monitor Sugar-Involving Molecular Events
Polymer J., **36**, 209-218 (2004).
146. Sadamoto R., Niikura K., Ueda T., Monde K., Fukuhara N., and Nishimura S.-I.
Control of bacteria adhesion by cell-wall engineering
J. Am. Chem. Soc., **126**, 3755-3761 (2004).
147. Takegawa Y., Ito S., Yoshioka S., Deguchi K., Nakagawa H., Monde K., and Nishimura S.-I.
Structural assignment of isomeric 2-aminopyridine derivatized oligosaccharides using MSⁿ spectral matching
Rapid Commun. Mass Spectrom., **18**, 385-391 (2004).
148. Sato M., Sadamoto R., Niikura K., Monde K., Kondo H., and Nishimura S.-I.
Site Specific Introduction of Sialic Acid to Insulin
Angew. Chem., Int. Ed., **43**, 1516-1520 (2004).
149. Tachibana Y., Fletcher G. L., Fujitani N., Tsuda S., Monde K., and Nishimura S.-I.
Antifreeze Glycoproteins: Elucidation of the Structural Motifs That Are Essential for Antifreeze Activity.
Angew. Chem. Int. Ed., **43**, 856-862 (2004).
150. Hoshi, H., Nakagawa, H., Nishiguchi, S., Iwata, K., Niikura, K., Monde, K. and Nishimura, S.-I.
An engineered hyaluronan synthase: Characterization of recombinant human hyaluronan synthase 2 expressed in *Escherichia coli*.
J. Biol. Chem., **279**, 2341-2349 (2004).
151. Nishimura S.-I., Nagahori, N., Sadamoto, R., Monde, K., Niikura, K.
Artificial Golgi Apparatus: Direct Monitoring of Glycosylation Reaction on Automated Glycosynthesizer. *ACS Symp. Ser.*, **873**, 113-24 (2004).
152. Taniguchi, T., Miura, N., Nishimura, S. -I., Monde, K.,
Vibrational CD: Chiroptical Analysis of Biomolecules
Mol. Nutr. Food Res., **48**, 246 – 254 (2004).
153. Ohta T., Miura N., Fujitani N., Nakajima F., Niikura K., Guo C.-T., Suzuki T., Suzuki Y., Monde K., and Nishimura S.-I.
Glycotentacles: Synthesis of cyclic glycopeptides toward a tailored blocker of influenza virus hemagglutinin.
Angew. Chem. Int. Ed., **42**, 5186 –5189 (2003).
154. Monde, K., Taniguchi, T., Miura N., Nishimura, S.-I., Harada, N., Dukor, R. K., and Nafie, L. A.
Preparation of cruciferous phytoalexin related metabolites, (-)-dioxibrassinin and (-)-3-cyanomethyl-3-hydroxyoxindole, and determination of their absolute configurations by vibrational circular dichroism (VCD).
Tetrahedron Letters, **44**, 6017–6020 (2003).
155. Furuike, T., Yamada, K., Monde, K., and Nishimura, S.-I.
An efficient synthesis of a biantennary sialooligosaccharide analog using a 1,6-anhydro- β -lactose derivatives as a key synthetic

block.

Tetrahedron, **59**, 5105–5113 (2003).

156. Nagahori, N., Niikura, K., Sadamoto, R., Monde, K., and Nishimura S.-I. Glycosyltransferase microarray displayed on the glycolipid LB membrane. *Adv. Synth. Catal.*, **345**, 729-734 (2003).
157. Nagahori, N., Niikura, K., Sadamoto, R., Monde, K., and Nishimura, S.-I. Synthesis of photopolymerizable glycolipids and their application as scaffolds to immobilize proteins with micron-sized pattern. *Aust. J. Chem.*, **56**, 567–576 (2003).
158. Kuroguchi, M., Iwata, K., Monde, K., Niikura, K., Lee, Y. C., Nishimura, S.-I. Development of mechanism-based fluorescence affinity labeling reagent for β -galactosidase as proteomics tool: A detailed analysis using MALDI-TOF mass spectrometry. *Peptide Science.*, **40**, 113-114. (2003).
159. Sadamoto, R., Niikura, K., Monde, K., Nishimura, S. -I., Cell Wall Engineering of Living Bacteria through biosynthesis *Methods in Enzymology*, **362**. 273-286 (2003) .
160. Kutschy, P., Suchý, M., Monde, K., Harada, N., Marušková, R., Čurillová, Z., Dzurilla, M., Miklošová, M., Mezencev, R. and Mojžiš, J. Spirocyclization strategy toward indole phytoalexins. The first synthesis of (\pm)-1-methoxyspirobrassinin, (\pm)-1-methoxyspirobrassinol, and (\pm)-1-methoxyspirobrassinol methyl ether. *Tetrahedron Lett.*, **43**, 9489–9492 (2002).
161. Tachibana, Y., Matsubara, N., Nakajima, F., Tsuda, T., Tsuda, S., Monde, K., and Nishimura, S.-I. Efficient and versatile synthesis of mucin-like glycoprotein mimics. *Tetrahedron*, **58**, 10213-10224 (2002).
162. Sadamoto, R., Niikura, K., Sears, P. S., Wong, C.-H., Suksomcheep, A., Tomita, F., Monde, K., and Nishimura, S.-I. Cell-Wall Engineering of Living Bacteria. *J. Am. Chem. Soc.*, **124**, 9018-9019. (2002).
163. Sukegawa, T., Furuike, T., Niikura, K., Yamagishi, A., Monde, K., and Nishimura, S.-I. Erythrocyte-like liposomes prepared by means of amphiphilic cyclodextrin sulfates *Chem. Commun.*, 430-431 (2002).
164. Yoshida, K., Osawa, S., Monde, K., Watanabe, M., and Harada, N., Absolute Stereochemistry of Chiral C60 Fullerene Bis-Adducts. *Enantiomer.*, **7**, 23-32. (2002).
165. Gilchrist, M. L., Monde, K., Tomita, Y., Iwashita, T., Nakanishi, K., and McDermott, A. E. Measurement of Interfluorine Distances in Solids. *J. Mag. Res.*, **152**, 1-6. (2001).
166. Suchy, M., Kutschy P., Monde, K., Goto, H., Harada, N., Takasugi, M., Dzurilla, M., and Balentová, E. Synthesis, Absolute Configuration, and Enantiomeric Enrichment of a Cruciferous Oxindole Phytoalexin, (*S*)-(-)- Spirobrassinin, and Its Oxazoline Analog. *J. Org. Chem.*, **66**, 3940-3947. (2001).
167. Monde, K., Tomita, Y., Gilchrist, Jr. M. L., McDermott, A. E., and Nakanishi, K. Design and Preparation of Polyphenyl Distance Markers for ^{19}F Solid State NMR. *Isr. J. Chem.*, **40**, 301-306. (2000).
168. Monde, K., Osawa, S., Harada, N., Takasugi, M., Suchy, M., Kutschy, P., Dzurilla, M., and Balentova, E. Synthesis and Absolute Stereochemistry of a Cruciferous Phytoalexin, (-)-Spirobrassinin *Chem. Lett.*, 886-887 (2000).
169. Monde, K., Harada, N., Takasugi, M., Kutschy, P., Suchy, M., and Dzurilla, M. Enantiomeric Excess of a Cruciferous Phytoalexin, Spirobrassinin, and Its Enantiomeric Enrichment in an Achiral HPLC System. *J. Nat Prod.*, **63**, 1312-1314 (2000).
170. Baur, R., Stadle, E., Monde, K., and Takasugi M. Phytoalexins from *Brassica* (Cruciferae) as minor oviposition stimulants for the cabbage root fly, *Delia radicum* *Chemoecology*, **8**, 163-168 (1998).
171. Jin, T. and Monde, K. Synthesis and optical resolution of a fluorescent chiral calix[4]arene with two pyrene moieties forming an intramolecular excimer.

Chem. Commun., 1357-1358 (1998).

172. Monde, K., Satoh H., Nakamura, M., Tamura, M., and Takasugi, M.
Organochlorine Compounds from a Terrestrial Higher Plant: Structures and Origin of Chlorinated Orcinol Derivatives from Diseased Bulbs of *Lilium maximowiczii*
J. Nat Prod., **61**, 913-921 (1998).
- This work was selected as a hot article in science/technology concentrates section of Chemical & Engineering News, "Lily fights fungus with organochlorines"
Chem. & Eng. News, June22, 27 (1998).
173. Nakanishi, K., Huang, D., Monde, K., Tokiwa, Y., Fang, K., Liu, Y., Jiang, H., Huang, X., Matile, S., and et al.
Philanthotoxins and the nicotinic acetylcholine receptor.
ACS Symp. Ser., **658**, 339-53 (1997).
174. 高杉光雄、門出健次、白田昭、
病害抵抗性とファイトアレキシン、植物病害の化学、上野民夫、市原耿民 編、
学会出版センター、pp 143-155 (1997).
175. Okuyama, H. and Monde, K.
Identification of an ornithine-containing lipid from *Cytophaga johnsonae* Stanier strain C21 by ¹H-NMR.
Chem. Phys. Lipids, **83**, 169-173 (1996).
176. Monde, K., Tanaka, A., and Takasugi, M.
Trapping experiment with aniline for a biosynthetic intermediate of sulfur-containing cruciferous phytoalexins.
J. Org. Chem., **61**, 9053-9054 (1996).
177. Shirata, A., Sugaya, K., Takasugi, M., and Monde, K.
Isolation and biological activity of toxins produced by a Japanese strain of *Pseudomonas tolaasii*, the pathogen of bacterial rot of cultivated oyster mushroom.
Ann. Phytopath. Soc. Japan, **61**, 493-502 (1995).
178. Person, R., Monde, K., Humpf, H.-U., Berova, N., and Nakanishi, K.
A new approach in exciton-coupled circular dichroism (ECCD)-insertion of an auxiliary stereogenic center.
Chirality, **7**, 128-135 (1995).
179. Monde, K., Tamura, K., and Takasugi, M.
No involvement of methoxybrassinin in the biosynthesis of cyclobrassinin.
Phytochemistry, **39**, 587-589 (1995).
180. Monde, K., Takasugi, M., and Shirata, A.
Three sulfur-containing stress metabolites from Japanese radish.
Phytochemistry, **39**, 581-586 (1995).
181. 門出健次、高杉光雄、
アブラナ科植物のファイトアレキシン
日本農薬学会誌, **20**, 339-43 (1995).
182. Monde, K., Tamura, K., Takasugi, M., Kobayashi, K., and Somei, M.
Dehydro-4-methoxycyclobrassinin, a sulfur-containing phytoalexin isolated from turnip *Brassica campestris* L. ssp. *rapa*.
Heterocycles, **38**, 263-267 (1994).
183. Monde, K., Takasugi, M., and Ohnishi, T.
Biosynthesis of Cruciferous Phytoalexins.
J. Am. Chem. Soc., **116**, 6650-6657. (1994).
- This work was reviewed by Prof. Moriarty, R. (Univ. Illinois, Chicago)
Chemtracts: Org. Chem., **7**, 383-387 (1994).
184. Monde, K. and Takasugi, M.
High-performance liquid chromatographic analysis of cruciferous phytoalexins using complex ternary mobile phase gradients.
J. Chromatogr., **598**, 147-152 (1992).
185. Kawazoe, R., Monde, K., Reichardt, W., and Okuyama, H.
Lipoamino acids and sulfonolipids in *Cytophaga johnsonae* Stanier strain C21 and six related species of *Cytophaga*.
Arch. Microbiol., **158**, 171-175 (1992).
186. Monde, K., Kishimoto, M., and Takasugi, M.
Yurinelide, a novel 3-benzylidene-1,4-benzodioxin-2(3*H*)-one phytoalexin from *Lilium maximowiczii*.

Tetrahedron Lett., **33**, 5395-5398 (1992).

187. 門出健次,
キノコ類病原細菌 *Pseudomonas tolaasii* の毒とその作用機構
化学, **47**(8), 558 (1992).
188. 門出健次,
植物の生体防御機構—アブラナ科植物のファイトアレキシン
化学と工業, **45**(2), 295-9 (1992).
189. Monde, K., and Takasugi, M.
Biosynthesis of cruciferous phytoalexins: the involvement of a molecular rearrangement in the biosynthesis of brassinin.
J. Chem. Soc., Chem. Commun., 1582-1583 (1991).
190. Monde, K., Takasugi, M., Lewis, J. A., and Fenwick, G. R.
Time-course studies of phytoalexins and glucosinolates in UV-irradiated turnip tissue.
Z. Naturforsch., C: Biosci., **46**, 189-193 (1991).
191. Monde, K., Sasaki, K., Shirata, A., and Takasugi, M.
Methoxybrassinins A and B, sulfur-containing stress metabolites from *Brassica oleracea* var. *capitata*.
Phytochemistry, **30**, 3921-3922 (1991).
192. Monde, K., Sasaki, K., Shirata, A., and Takasugi, M.
Brassicinal C and two dioxindoles from cabbage.
Phytochemistry, **30**, 2915-2917 (1991).
193. Monde, K., Takasugi, M., Katsui, N., and Masamune, T.
Total synthesis of letucenin A, a guaianolide phytoalexin from *Lactuca sativa* var. *capitata*.
Chem. Lett., 1283-1286 (1990).
194. Monde, K., Sasaki, K., Shirata, A., and Takasugi, M.
4-Methoxybrassinin, a sulfur-containing phytoalexin from *Brassica oleracea*.
Phytochemistry, **29**, 1499-1500 (1990).
195. Monde, K., Oya, T., Shirata, A., and Takasugi, M.
A guaianolide phytoalexin, cichoralenin, from *Cichorium intybus*.
Phytochemistry, **29**, 3449-3451 (1990).
196. Monde, K., Katsui, N., Shirata, A., and Takasugi, M.
Brassicinals A and B, novel sulfur-containing phytoalexins from the Chinese cabbage *Brassica campestris* L. ssp. *pekinensis*.
Chem. Lett., 209-210 (1990).
197. Takasugi, M., Monde, K., Katsui, N., and Shirata, A.
Novel sulfur-containing phytoalexins from the Chinese cabbage *Brassica campestris* L. ssp. *pekinensis* (Cruciferae).
Bull. Chem. Soc. Jpn., **61**, 285-289 (1988).
198. Takasugi, M., Monde, K., Katsui, N., and Shirata, A.
Spirobrassinin, a novel sulfur-containing phytoalexin from the daikon *Raphanus sativus* L. var. *hortensis* (Cruciferae).
Chem. Lett., 1631-1632 (1987).
199. Takasugi, M., Kawashima, S., Monde, K., Katsui, N., Masamune, T. and Shirata, A.
Antifungal compounds from *Dioscorea batatas* inoculated with *Pseudomonas cichorii*.
Phytochemistry, **26**, 371-375 (1987).